





# E910 Automotive Polyester Cloth Tape

High quality PET cloth, coated with a strong acrylic based adhesive, extra robust material, 150 °C.

### **FEATURES:**

- Acrylic adhesive
- PET cloth carrier

### **BENEFITS:**

- Low VOC
- High temperature stability
- High adhesion
- Stable against rotting
- Flexible and easy to handle
- Excellent media resistance
- High tensile strength



# **STANDARD SIZES:**

Width: 19mm, 25mm, 32mm

Length: 20m, 25m Core ID: 38mm

# **COLORS:**

Black Orange

Other sizes and cores are available on request.





#### E910

Properties	Value	Unit	Test Method
Thickness	0.18±0.03	mm	EN1942
Tensile strength	>150	N/cm	ISO 29864
Elongation	>20	%	ISO 29864
Adhesion			ISO 29862
<ul><li>to backing</li></ul>	>2.5	N/cm	
— to steel	>2.5	N/cm	
Unwind force	2.0~6.0	N/cm	EN 1944
Flammability	B(self-extinguishing)		LV 312
Abrasion resistance(φ10mm)	D: 1000 ~ 4999	cycles	ISO 6722 / LV 312
Noise dampening	A:0~2	dB(A)	LV 312
Temperature rating	D:-40~150	°C	LV 312

Note: The listed values are required only and not intended to serve as product specifications

### **RECOMMENDED USES:**

E910 is especially designed for cable harnessing in the automotive industry. Its very high temperature stability, abrasion resistance and excellent media resistance makes it ideal for usage in engine room and engine block areas.

# STORAGE AND SHELF LIFE

The shelf life of the product is one year when stored at 20-30°C, max 65% relative humidity and out of direct sunlight, in original packaging.

Please refer to www.yongletape.com or www.plymouthyongle.com for complete terms and conditions, including warranty terms, relating to this product. You should periodically review the site as terms and conditions are subject to change without notice.

© 2018 Avery Dennison Corporation. All rights reserved. Avery Dennison Yongle is trademark of Avery Dennison Corporation. Plyon and all other Avery Dennison brands, product names or service programs are trademarks of Avery Dennison Corporation.



